Doc code: IDS

Doc description: Information Disclosure Statement (IDS) Filed

PTO/SB/08a (01-10)

Approved for use through 07/31/2012. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Application Number		10578946	
	Filing Date		2007-02-05	
INFORMATION DISCLOSURE	First Named Inventor	John	SantaLucia	
STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Art Unit		1631	
(Not for Submission under or or it 1.33)	Examiner Name	ERIC	S. DEJONG	
	Attorney Docket Numb	er	DNASOFT-10963	

		-			U.S.I	PATENTS				
Examiner Initial*	Cite No	Patent Number	Kind Code ¹	Issue D)ate	Name of Pate of cited Docu	entee or Applicant Iment	Relev	s,Columns,Lines where ant Passages or Relev es Appear	
	1	6001983		1999-12	2-14	S. Benner		Whole	e Document	
:	2	5912340		1999-06	6-15	Epoch Pharma	aceuticals, Inc	Whole	e Document	
If you wish	n to ac	ld additional U.S. Pate	nt citatio	n inform	ation pl	ease click the	Add button.			
			U.S.P	ATENT	APPLI	CATION PUB	LICATIONS			
Examiner Initial*			Kind Code ¹	Kind Publication Name of Patentee or Applicant of cited Document		Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear				
	1			α ΄						
If you wish	n to ac	ld additional U.S. Publ	ished Ap	plication	citation	n information p	olease click the Add	d butto	on.	
				FOREIG	SN PAT	ENT DOCUM	ENTS			
Examiner Initial*	Cite No	Foreign Document Number ³	Country Code ² i		Kind Code⁴	Publication Date	Name of Patentee Applicant of cited Document		Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear	Т5
	1	WO 0194611				2001-12-13	WAYNE STATE UNIVERSITY		Whole Document	
If you wish	n to ac	ld additional Foreign F						buttor	1	
			NON	I-PATE	NT LITE	RATURE DO	CUMENTS			

Application Number		10578946		
Filing Date		2007-02-05		
First Named Inventor John		SantaLucia		
Art Unit		1631		
Examiner Name ERIC		S. DEJONG		
Attorney Docket Number		DNASOFT-10963		

Examiner Initials*	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, pages(s), volume-issue number(s), publisher, city and/or country where published.	T5
	1	GESTELAND and ATKINS eds., "The RNA WORLD," 1993, Chapters starting on page 91, 137, 239, Cold Spring Harbor Labs Press, Cold Spring Harbor, NY.	
	2	PROUTSKI, et al., "Secondary structure of the 3'-untranslated region of yellow fever virus: implications for virulence, attenuation and vaccine development," J Gen Virol., 1997, 78:1543-1549.	
	3	WARD, et al., "Changes in the NS gene of neurovirulent strains of influenza affect splicing," Virus Genes, 1995, 10:91-94.	
	4	BIDOU, et al., Stahl, B Grima, et al., "In vivo HIV-1 frameshifting efficiency is directly related to the stability of the stem-loop stimulatory signal," RNA, 1997, 3:1153-1158.	
·	5	MILLER, et al., "Multiple Biological Roles Associated with the Rous Sarcoma Virus 59 Untranslated RNA U5-IR Stem and Loop," J Virol., 1997, 71:7648.	
	6	GIRELLI, et al., "Hereditary Hyperferritinemia-Cataract Syndrome Caused by a 29-Base Pair Deletion in the Iron Responsive Element of Ferritin L-Subunit Gene," Blood, 1997, 90:2084-2088.	
	7	HOWE and ARES, "Intron self-complementarity enforces exon inclusion in a yeastpre-mRNA," Proc. Natl. Acad. Sci., 1997, 94:12467-12472.	
	8	VEYRUNE, et al., "c-fos mRNA instability determinants present within both the coding and the 3' non coding region link the degradation of this mRNA to its translationOncogene," 1995, 11:2127-34.	
	9	SERANO and COHEN, "A small predicted stem-loop structure mediates oocyte localization of Drosophila K10 mRNA," Develop., 1995, 121:3809-3818.	
	10	HANKE, et al., "RepetitiveAluElements form a Cruciform Structure that Regulates the Function of the Human CD8α T Cell-specific En hancer," J. Mol. Biol., 1995, 246:63-73.	

Application Number		10578946		
Filing Date		2007-02-05		
First Named Inventor John		SantaLucia		
Art Unit		1631		
Examiner Name ERIC		S. DEJONG		
Attorney Docket Number		DNASOFT-10963		

_			
	11	LU and OLSON, "3DNA: a software package for the analysis, rebuilding and visualization of three-dimensional nucleic acid structures," Nucleic Acids Res., 2003, 31:5108-21.	
	12	LAVERY and SKLENAR, "The Definition of Generalized Helicoidal Parameters and of Axis Curvature for Irregular Nucleic Acids," J Biomol Struct. Dyn., 1988, 6:63-91.	
	13	LAVERY and SKLENAR, "Defining the structure of irregular nucleic acids: conventions and principles," J Biomol Struct. Dyn., 1989, 6:655-67.	
	14	DICKERSON, R.E., "DNA bending: the prevalence of kinkiness and the virtues of normality," Nuc Acid Res, 1998, 26:1906-26.	
	15	YANG, H., et al., "Tools for the automatic identification and classification of RNA base pairs," Nuc Acid Res, 2003, 31:3450-60	
	16	HERSHKOVITZ, E., et al., "Automated identification of RNA conformational motifs: theory and application to the HM LSU 23S rRNA," Nuc Acid Res, 2003, 31:6249-57.	
	17	KLOSTERMAN, P.S., et al., "SCOR: a Structural Classification of RNA databaseNuc," Acid Res, 2002, 30:392-4.	
	18	LEONTIS, N.B., et al., "Motif prediction in ribosomal RNAs Lessons and prospects for automated motif prediction in homologous RNA molecules," Biochimie, 2002, 84:961-973.	
	19	GAUTHERET, D. and LAMBERT, A, "Direct RNA Motif Definition and Identification from Multiple Sequence Alignments using Secondary Structure Profiles," J Mol Biol, 2001, 313:1003-11.	
	20	HUBBARD, J.M. and HEARST, J.E., "Predicting the three-dimensional folding of transfer RNA with a computer modeling protocol," Biochem, 1991, 30:5458-5465.	
	21	MICHEL, F. and WESTHOF, E., "Modelling of the three-dimensional architecture of group I catalytic introns based on comparative sequence analysis," J Mol Biol, 1990, 216:585-610.	

Application Number		10578946		
Filing Date		2007-02-05		
First Named Inventor John		SantaLucia		
Art Unit		1631		
Examiner Name ERIC		S. DEJONG		
Attorney Docket Number		DNASOFT-10963		

MASSIRE, C. and WESTHOF, E., "MANIP: an interactive tool for modelling RNA," J Mol Graphics Model, 1999, 16:197-205. TSAI, H.Y., et al., "Molecular Modeling of the Three-dimensional Structure of the Bacterial RNase P Holoenzyme," J Mol Biol, 2003, 325:561-675. MASSIRE, C., et al., "Derivation of the Three-dimensional Architecture of Bacterial Rivourclease P RNAs from Comparative Sequence Analysis," J Mol Biol, 1998, 279:773-93. MAJOR, F., et al., "The combination of symbolic and numerical computation for three-dimensional modeling of RNA," Science, 1991, 253:1255-60. MAJOR, F., et al., "The combination of symbolic and numerical computation for three-dimensional modeling of RNA," Science, 1991, 253:1255-60. MAJOR, F., et al., "Force field based conformational Structure of RNA Using Discrete Nucleotide Conformational Sets," J Mol Biol, 1993, 229:1049-1064. MAIER, A., et al., "Force field based conformational analysis of RNA structural motifs: GNRA tetraloops and their pyrimidine relatives," Eur Biophys J Biophys Lett, 1999, 28:564-73. MACKE, T.J. and CASE, D.A., "Modeling Unusual Nucleic Acid Structures," ACS Symp Ser, 1998, 682:379-93. MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. If, fitting the RNA to a 3D electron microscopic map at 20 A," J Mol Biol, 1997, 271:524-544. MUELLER, F., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7.5 AE Resolution," J Mol Biol, 2000, 298:35-59. TUNO, C. S., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 63 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7.5 AE Resolution," Nature Struct Biol, 2002, 9:750-5.	 		
Structure of the Bacterial RNase P Holoenzyme," J Mol Biol, 2003, 325-661-675. MASSIRE, C., et al., "Derivation of the Three-dimensional Architecture of Bacterial Ribonuclease P RNAs from Comparative Sequence Analysis," J Mol Biol, 1998, 279:773-93. MAJOR, F, et al., "The combination of symbolic and numerical computation for three-dimensional modeling of RNA."	22	MASSIRE, C. and WESTHOF, E., "MANIP: an interactive tool for modelling RNA," J Mol Graphics Model, 1999, 16:197-205.	
24 Bacterial Ribonuclease P RNAs from Comparative Sequence Analysis," J Mol Biol, 1998, 279:773-93. 25 MAJOR, F, et al., "The combination of symbolic and numerical computation for three-dimensional modeling of RNA," Science, 1991, 253:1255-60. 26 GAUTHERET, D., et al., "Modeling the Three-dimensional Structure of RNA Using Discrete Nucleotide Conformational Sets," J Mol Biol, 1993, 229:1049-1064. 27 MAIER, A., et al., "Force field based conformational analysis of RNA structural motifs: GNRA tetraloops and their pyrimidine relatives," Eur Biophys J Biophys Lett, 1999, 28:564-73. 28 MACKE, T.J. and CASE, D.A., "Modeling Unusual Nucleic Acid Structures," ACS Symp Ser, 1998, 682:379-93. 29 MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. If, fitting the RNA to a 3D electron microscopic map at 20 Å," J Mol Biol, 1997, 271:524-544. 30 MUELLER, F., and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. II]: The RNA-protein interaction data," J Mol Biol, 1997, 271:545-565. 31 MUELLER, F., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7:5 AC Resolution." J Mol Biol, 2000, 298:35-59. TUNG, C. S., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7:5 AC Resolution." J Mol Biol, 2000, 298:35-59.	23		
Science, 1991, 253:1255-60. GAUTHERET, D., et al., "Modeling the Three-dimensional Structure of RNA Using Discrete Nucleotide Conformational Sets," J Mol Biol, 1993, 229:1049-1064. MAIER, A., et al., "Force field based conformational analysis of RNA structural motifs: GNRA tetraloops and their pyrimidine relatives," Eur Biophys J Biophys Lett, 1999, 28:564-73. MACKE, T.J. and CASE, D.A., "Modeling Unusual Nucleic Acid Structures," ACS Symp Ser, 1998, 682:379-93. MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. It, fitting the RNA to a 3D electron microscopic map at 20 Å," J Mol Biol, 1997, 271:524-544. MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. It]. The RNA-protein interaction data," J Mol Biol, 1997, 271:545-565. MUELLER, F., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a 7.5 AE Resolution," J Mol Biol, 2000, 298:35-59. TUNG, C. S., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a 2 Cryo-electron Microscopic Reconstruction at 1 Rescherichia coli 50 S Ribosomal Subunit Based on a 2 Cryo-electron Microscopic Reconstruction at 1 Rescherichia coli 50 S Ribosomal Subunit Based on a 2 Cryo-electron Microscopic Reconstruction at 1 Rescherichia coli 50 S Ribosomal Subunit Based on a 2 Cryo-electron Microscopic Reconstruction at 1 Rescherichia coli 50 S Ribosomal Subunit Based on a 2 Cryo-electron Microscopic Reconstruction at 1 Rescherichia coli 50 S Ribosomal Subunit Based on a 3 Cryo-electron Microscopic Reconstruction at 1 Rescherichia coli 50 S Ribosomal Subunit Based on a 3 Cryo-electron Microscopic Reconstruction at 1 Rescherichia coli 50 S Ribosomal Subunit Based on a 3 Cryo-electron Microscopic Reconstruction at 1 Rescherichia coli 50 S Ribosomal Subunit Based on a 3 Cryo-electron Microscopic Reconstruction at 1 Rescherichia coli 50 S R	24	Bacterial Ribonuclease P RNAs from Comparative	
Sets," J Mol Biol, 1993, 229:1049-1064. MAIER, A., et al., "Force field based conformational analysis of RNA structural motifs: GNRA tetraloops and their pyrimidine relatives," Eur Biophys J Biophys Lett, 1999, 28:564-73. MACKE, T.J. and CASE, D.A., "Modeling Unusual Nucleic Acid Structures," ACS Symp Ser, 1998, 682:379-93. MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. I. fitting the RNA to a 3D electron microscopic map at 20 Å," J Mol Biol, 1997, 271:524-544. MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. II†. The RNA-protein interaction data," J Mol Biol, 1997, 271:545-565. MUELLER, F., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7.5 AE Resolution," J Mol Biol, 2000, 298:35-59. TUNG, C. S., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a 32 Cryo-electron Microscopic Reconstruction at 7.5 Resolution at 7.5 Resolution Reconstruction at 7.5 Resolution Reconstruction at 7.5 Reconstruction Reconstruction at 7.5 Resolution Reconstruction at 7.5 Resolution Reconstruction at 7.5 Resolution Reconstruction at 7.5 Reconstruction Recons	25		
pyrimidine relatives," Eur Biophys J Biophys Lett, 1999, 28:564-73. MACKE, T.J. and CASE, D.A., "Modeling Unusual Nucleic Acid Structures," ACS Symp Ser, 1998, 682:379-93. MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. I. fitting the RNA to a 3D electron microscopic map at 20 Å," J Mol Biol, 1997, 271:524-544. MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. II†. The RNA-protein interaction data," J Mol Biol, 1997, 271:545-565. MUELLER, F., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7.5 AÊ Resolution," J Mol Biol, 2000, 298:35-59. TUNG, C. S., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7.5 AE Resolution," J Mol Biol, 2000, 298:35-59.	 26	GAUTHERET, D., et al., "Modeling the Three-dimensional Structure of RNA Using Discrete Nucleotide Conformational Sets," J Mol Biol, 1993, 229:1049-1064.	
MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. I. fitting the RNA to a 3D electron microscopic map at 20 Å," J Mol Biol, 1997, 271:524-544. MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. II†. The RNA-protein interaction data," J Mol Biol, 1997, 271:545-565. MUELLER, F., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7.5 AÊ Resolution," J Mol Biol, 2000, 298:35-59. TUNG, C. S., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at	 27		
mibosomal RNA. I. fitting the RNA to a 3D electron microscopic map at 20 Å," J Mol Biol, 1997, 271:524-544. MUELLER, F. and BRIMACOMBE, R., "A new model for the three-dimensional folding of Escherichia coli 16 S ribosomal RNA. II†. The RNA-protein interaction data," J Mol Biol, 1997, 271:545-565. MUELLER, F., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7.5 AÊ Resolution," J Mol Biol, 2000, 298:35-59. TUNG, C. S., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at	28	MACKE, T.J. and CASE, D.A., "Modeling Unusual Nucleic Acid Structures," ACS Symp Ser, 1998, 682:379-93.	
nbosomal RNA. II†. The RNA-protein interaction data," J Mol Biol, 1997, 271:545-565. MUELLER, F., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7.5 AÊ Resolution," J Mol Biol, 2000, 298:35-59. TUNG, C. S., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at	29		
Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at 7.5 AÊ Resolution," J Mol Biol, 2000, 298:35-59. TUNG, C. S., et al., "The 3D Arrangement of the 23 S and 5 S rRNA in the Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at	30		
Escherichia coli 50 S Ribosomal Subunit Based on a 32 Cryo-electron Microscopic Reconstruction at	31	Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at	
	32	Escherichia coli 50 S Ribosomal Subunit Based on a Cryo-electron Microscopic Reconstruction at	

Application Number	1	0578946		
Filing Date		2007-02-05		
First Named Inventor John		SantaLucia		
Art Unit		1631		
Examiner Name ERIO		DEJONG		
Attorney Docket Number		NASOFT-10963		

33	TUNG, C.S., "A geometrical approach in folding a pseudoknot motif within the E. coli 16S-RNA," J Biomol Struct Dyn, 1996, 14:153-61.	
34	NIELSEN P.E., et al., "Sequence-selective recognition of DNA by strand displacement with a thymine-substituted polyamide," Science 1991, 254:1497-1500.	
35	PETERSEN M., et al., "Structural Characterization of LNA and -L-LNA Hybridized to RNA," Nucleosides Nucleotides & Nuc Acids, 2003, 22:1691-1693.	
36	CHAPUT JC, SZOSTAK JW, "TNA Synthesis by DNA Polymerases," J Am Chem Soc, 2003, 125:9274-9275.	
37	SCHUBERT S, et al, "RNA cleaving '10-23' DNAzymes with enhanced stability and activity," Nuc Acids Res, 2003, 20:5982-5992.	
38	VICKERS TA, et al., "Fully modified 2' MOE oligonucleotides redirect polyadenylation," Nuc Acids Res, 2001, 29:1293-1299.	
39	SHIMIZU M., et al., "Oligo(2'-O-methyl)ribonucleotides Effective probes for duplex DNA,"FEBS Ltrs, 1992, 302:155-158.	
40	ESCHENMOSER A, 1993, "Hexose Nuc-Acids," Pure Appl Chem, 65:1179-1188.	
41	ROZENSKI J., et al., "The RNA modification database: 1999 Update," 1999, Nuc Acids Res, 27:196-197.	
42	SCHWEITZER, B.A., KOOL, E.T., "Aromatic Nonpolar Nucleosides as Hydrophobic Isosteres of Pyrimidines and Purine Nucleosides," J Org Chem, 1994, 59:7238-7242.	
43	SCHWEITZER, B.A., KOOL, E.T., "Hydrophobic, Non-Hydrogen-Bonding Bases and Base-Pairs in DNA," J Am Chem Soc, 1995, 117:1863-1872.	

Application Number		10578946		
Filing Date		2007-02-05		
First Named Inventor John		SantaLucia	-	
Art Unit		1631		
Examiner Name ERIC		S. DEJONG		
Attorney Docket Number		DNASOFT-10963		

	44	Kong, P, et al., "Synthesis and duplex stability of oligonucleotides containing cytosine-thymine analogues," Nuc Acids Res, 1989, 17:10373-10383.						
	45	Kong, P, et al., "Synthesis of oligodeoxyribonucleotides containing degenerate bases and their use as primers in the polymerase chain reaction," Nuc Acids Res, 1992, 20:5149-5152.						
	46	PEYRET, N, et al., "Nearest-Neighbor Thermodynamics and NMR of DNA Sequences with Internal A-A, C-C, G-G, and T-T Mismatches", Biochem, 1999, 38:3468-3477.						
	47	GUTELL, R.R., "Collection of small subunit (16S- and 16S-like) ribosomal RNA structures: 1994," Nuc Acids Res, 1994, 22:3502-7.						
	48	SEEMAN, N.C., "DNA Nanotechnology: Novel DNA Constructions," Annu Rev Biophys Biomol Struct, 1998, 27:225-248						
	49	TURBERFIELD, A.J., et al., "DNA Fuel for Free-Running Nanomachines," Physical Rev Ltrs, 2003, 90:118102-1-118102-4.						
	BENENSON, Y., et al., "DNA molecule provides a computing machine with both data and fuel," Proc Natl Acad Sci, 2003, 100:2191-6.							
If you wisl	h to a	ndd additional non-patent literature document citation information please click the Add button						
		EXAMINER SIGNATURE						
Examiner	Examiner Signature Date Considered							
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through a citation if not in conformance and not considered. Include copy of this form with next communication to applicant.								
 See Kind Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language translation is attached. 								